
## Overview

Standard Package Option Port Installed Option Accessory

2014 MX-5 Miata	Sport	Club	Grand Touring
MSRP starting at	\$23,720*	\$26,905*	\$27,550*



### **MX-5 MIATA AT A GLANCE**



### **ENGINE TYPE**

167-hp†, MZR 2.0L DOHC 16-valve 4-cylinder engine with variable valve timing (VVT)



### **CONVERTIBLE OPTIONS**

Choice of soft top or Power Retractable Hard Top (PRHT)



## **FUEL EFFICIENCY**

22/28 city/hwy - 5-speed MT<sup>‡</sup> 21/28 city/hwy - 6-speed MT $^{\ddagger}$ 21/28 city/hwy - 6-speed AT‡



### **SAFETY FEATURES**

Standard advanced front air bags and side-impact air bags\*\*

## **Engine & Mechanical**

Standard Package Option Port Installed Option Accessory - Not Available 2014 MX-5 Miata **Grand Touring** Sport Club Engine Engine Type MZR 2.0L DOHC 16-valve 4-cylinder engine with VVT Horsepower - Manual transmission 167 hp @ 7000 rpm - Automatic transmission 158 hp @ 6700 rpm Torque 140 lb-ft @ 5000 rpm Redline - Manual transmission 7200 rpm - Automatic transmission 6700 rpm Displacement (cc) 1999 87.5 x 83.1 Bore x stroke (mm) 10.8:1 Compression ratio Electronically controlled multiport fuel injection with tuned air intake Fuel system Recommended fuel Premium unleaded Valvetrain Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Ignition system Direct coil-on-plug electronic ignition with platinum-tipped spark plugs Engine block Aluminum alloy Cylinder head Aluminum alloy Crankshaft Forged steel Forged steel Connecting rods Tier2 - BIN5 / ULEV2-B Emission control type (Fed/Cal) **EPA-Estimated Fuel Economy** Manual transmission (city/hwy)† 22/28 21/28 21/28 Automatic transmission (city/hwy)†

Drivetrain Rear-wheel drive (RWD) Туре Manual transmission 5-speed with short-throw 6-speed close-ratio with short-throw shifter Automatic transmission 6-speed Sport with Adaptive Shift Logic and steering-wheel-mounted paddle shifters Available torque-sensing limited-slip (manual transmission only) Differential

**Engine & Mechanical** Standard Package Option Port Installed Option Accessory - Not Available 2014 MX-5 Miata Sport Club **Grand Touring** Drivetrain Gear Ratios (:1) 5MT 6MT 6AT 3.54 1st 3.14 3.82 2nd 1.89 2.26 2.06 1.64 1.40 3rd 1.33 4th 1.00 1.18 1.00 5th 0.81 1.00 0.71 6th 0.79 0.58 Reverse 3.76 3.60 3.17 Final Drive 4.10 4.10 4.10 Chassis Chassis Backbone frame construction with front and rear suspension subframes Brakes 4-wheel disc - Front 11.4-inch vented disc - Rear 11.0-inch solid disc with aluminum brake calipers - ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type Rack-and-pinion Power assist Hydraulic Power Assist Steering (HPAS) Overall steering ratio 15.0:1 Steering wheel turns, lock-to-lock 2.70 Turning circle diameter, curb-to-curb (ft) 30.80 Suspension 4-wheel independent - Front Double wishbone with forged aluminum control arms - Rear Multi-link with tubular control arms and aluminum knuckle - Stabilizer bar (front) Hollow - Stabilizer bar (rear) Solid Available sport-tuned coil springs - Springs - Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 16 x 6.5 17 x 7.0 P205/50R16 high Tire size P205/45R17 high performance summer tires performance summer tires Weights & Capacities Curb weight (lbs) 2480 2511 - Manual transmission - Automatic transmission 2542

_						
	V	٠	$\sim$	ri	$\sim$	-
_	А	L	ᆫ	ш	U	

Weight distribution (front/rear)

Fuel capacity (gallons)

Exterior	Standard Package Option	n Port Installed Option	Accessory - Not Available
2014 MX-5 Miata	Sport	Club	Grand Touring
Body			
Halogen headlights	S	S	8
Xenon High-Intensity-Discharge (HID) low-beam headlights			P
Black headlight bezel		S	
Chrome headlight bezel			5
Halogen fog lights	s	S	S
Lightweight aluminum-alloy hood and trunklid	<b>6</b>	<b>=</b>	<b>6</b>
Black front air dam and rear diffuser		S	
Variable-intermittent windshield wipers	<b>6</b>	<b>=</b>	<b>=</b>
Black Z-fold vinyl soft top	S		
Black Z-fold cloth soft top		6	
Black/Spicy Mocha Z-fold cloth soft top (matched to interior color)			5

52/48 12.7



# Exterior Standard Package Option Port Installed Option Accessory Not Available

2014 MX-5 Miata	Sport	Club	Grand Touring	
Body				
Body-colored dual power side mirrors	s		S	
Painted black dual power side mirrors		5		
Body-colored door handles	<b>=</b>	5	S	
Exclusive Club badges and graphics		5		
Glass rear window with defogger	<u> </u>	S	S	
Rear-fender-mounted antenna	<u>=</u>	5	S	
Dual exhaust outlets with chrome tips	<u> </u>	S	S	
Wheels & Tires				
16-inch aluminum-alloy wheels	<u> </u>			
17-inch gunmetal aluminum-alloy wheels		5		
17-inch silver aluminum-alloy wheels (Split 5-spoke design)			s	
P205/50 R16 high-performance radial tires	<u>=</u>	<del>-</del>	-	
P205/45 R17 high-performance radial tires		S	S	
Exterior Dimensions				
Wheelbase (in)		91.7		
Track, front (in)		58.7		
Track, rear (in)		58.9		
Length (in)		157.3		
Width (in)		67.7		
Height (in)		49.0		
Minimum ground clearance, laden (in)		4.6		

# Interior Standard Package Option Port Installed Option Accessory Not Available

2014 MX-5 Miata	Sport	Club	Grand Touring
Comfort & Convenience			
Air conditioning	8	s	
Automatic climate control			5
Power windows with driver one-touch-down feature	5	5	S
Passenger window one-touch-down feature	<b>₽</b> Ħ	5	5
Power door locks with 2-stage unlocking	<b>₽</b> Ħ	s ††	s ††
Cruise control with steering-wheel-mounted controls	<u>P</u> H	5	<u>=</u>
Bluetooth® hands-free phone capability			P
Remote keyless entry with retractable key	<u>P</u> tt	<u>=</u> ††	<u>=</u> ††
Mazda Advanced Keyless Entry & Start System			P
Auto-dimming rearview mirror with HomeLink®			<u>=</u>
Interior illumination - dome light, ignition switch and trunk	S	S	S
Driver and passenger visor vanity mirrors	5	5	5
Retractable mesh wind blocker	s	s	S
12-volt power outlet	5	5	<u> </u>
Rear window defogger with timer	S	s	s
Storage			
Lockable glove compartment	s	S	S
Center console storage with cup holder	<b>=</b>	<b>=</b>	<b>=</b>
Door net pockets with bottle holders	5	S	8
Lockable rear storage	<b>=</b>	<b>5</b>	<b>=</b>
Driver and passenger behind-seat storage - covered	s	s	s
Driver's seatback storage pocket	5	5	<u> </u>



Interior Standard Package Option Port Installed Option Accessory - Not Available 2014 MX-5 Miata Sport Club **Grand Touring** Seating & Trim 5 5 5 2-passenger seating 6-way adjustable driver's seat 5 4-way adjustable passenger seat 5 5 Heated seats 5 Cloth-trimmed seats 5 Black cloth-trimmed seats with red stitching 5 Leather-trimmed seats 5 Leather-wrapped steering wheel 5 5 Leather-wrapped shift knob --Leather-wrapped parking brake handle 5 5 Dark gray decoration panel --5 Body-colored decoration panel with Club graphics P Silver seatback bar accents 5 Dark Gray seatback bar accents 5 Padded center console and door armrests 5 5 5 5 5 Carpet floor mats Audio AM/FM/CD/MP3 with 6 speakers 5 Bose® audio system, AudioPilot®, AM/FM/in-dash 6-disc CD/MP3-compatible changer and 7 speakers \_\_ **=** ‡‡ <u>=</u> ‡‡ **=** ‡‡ SiriusXM Satellite Radio-compatible audio system SiriusXM Satellite Radio with 4-month trial subscription to Sirius Select D/A D/A DAP Auxiliary-audio input jack 5 5 PIT 5 5 Steering-wheel-mounted audio controls Instrumentation 5 5 5 Speedometer, tachometer, oil pressure, coolant temperature and fuel gauge Dual trip odometers 5 5 p tt Trip computer 5 5

## Safety & Security

Headroom (in)

Hip room (in)

Legroom (in)
Cargo volume (cu ft)

Shoulder room (in)

Interior Dimensions & Capacities

2014 MX-5 Miata	Sport	Club	Grand Touring
Safety			
Advanced dual front air bags - with crash-zone & passenger weight sensors (Mazda Advanced Restraint System) <sup>‡</sup>	S	S	S
Side-impact air bags**	<b>5</b>	<b>5</b>	<b>5</b>
3-point seat belts with pretensioners and force limiters	5	5	s
Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)	5	5	5
Dynamic Stability Control (DSC)*** and Traction Control System (TCS)	s	s	s
Side-impact door beams	5	5	5

37.4

53.2

50.6 43.1

Standard Package Option Port Installed Option Accessory Not Available



# Safety & Security

Standard Package Option Port Installed Option Accessory Not Available

2014 MX-5 Miata	Sport	Club	Grand Touring
Security			
Engine-immobilizer antitheft system	8	5	s
Anti-theft alarm system			
Keyless remote panic button (on key fob)	P <sup>††</sup>	s	s
Tire-Pressure Monitoring System (TPMS)	5	5	5
Tire puncture repair kit (includes compressor, tire sealant, injection hose, spare valve core, valve core tool)	5	5	s

# Packages & Options

Packages & Options	Standard Package Option	Port Installed Option	Accessory - Not Available
2014 MX-5 Miata	Sport	Club	Grand Touring
Packages & Options			
Convenience Package  - Remote keyless entry with retractable key  - Global open (one touch power down driver and passenger window) Function included in remote keyless entry  - Cruise control  - Steering-wheel-mounted audio and cruise controls  - Silver seatback bar accents  - Trip computer  - Power door locks	(Std. with AT)	5	<b>5</b>
Premium Package  - Xenon High-Intensity-Discharge (HID) low-beam headlights  - Mazda Advanced Keyless Entry & Start System  - Bluetooth® hands-free phone capability  - SiriusXM Satellite Radio with 4-month trial subscription  - Anti-theft alarm	-		(w/MT requires Suspension Package)
Appearance Package (not available with splash guards) - Front air dam - Rear underskirt	•	<b>=</b>	•
Suspension Package - Sport-tuned suspension - Bilstein® shock absorbers - Limited-slip differential		S	(Requires Premium Package)
(Available on manual transmissions only)			
Exterior			1
Paint protection film	A	Ħ	A
Chrome fuel-filler door	<b>□</b>	□	□
Splash guards front and rear (not available with Appearance Package)	A	A	A
Rear spoiler	A	A	A
Interior			
All-weather floor mats	<b>□/</b> 用	□/□	<b>0/B</b>
Cargo net (not available with Premium Package)	o/A	□/ <del>□</del>	
Alarm system with shock sensor (not available with Premium Package)	O/A/P	O/A/P	O/A/P
Audio			
In-dash 6-disc CD/MP3-compatible changer	- □	A	5
SiriusXM Satellite Radio with 4-month trial subscription (not available with Premium Package)	A	A	A
			1



### Warranty

Every new Mazda comes with a comprehensive limited warranty that provides coverage in the unlikely event a repair is needed in the first years after your vehicle's purchase. We'll be right there with you all the time, wherever you go by providing warranty coverage and roadside assistance so that the total enjoyment of driving a Mazda never stops.

2014 Mazda Vehicles:

Mazda Limited Warranty Coverage:

3-year/36,000-mile*	"Bumper-to-Bumper" Limited Warranty
5-year/60,000-mile*	Limited Powertrain Warranty
3-year/36,000-mile*	24/7 Roadside Assistance Program

<sup>\*</sup>Whichever comes first.

### **BUMPER-TO-BUMPER LIMITED WARRANTY**

Mazda warrants that new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 36 months or 36,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This transferable "limited warranty" is included on all new Mazda vehicles sold and serviced in the United States.

## POWERTRAIN LIMITED WARRANTY

Mazda warrants that the Powertrain Components of new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 60 months or 60,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This "limited warranty" is transferable during the warranty period on all new Mazda vehicles sold and serviced in the United States.

### 24/7 ROADSIDE ASSISTANCE

If Mazda vehicle is not driveable due to a warranted part failure during the coverage period of the New Vehicle Limited Warranty (36 months/36,000 miles), towing service will be covered to the nearest Mazda Dealer. In addition, if a Mazda vehicle is not driveable due to the failure of a warranted powertrain component, then towing service will be covered during the coverage period of the Powertrain Limited Warranty (60 months/60,000 miles).

Call 1-800-866-1998



Or <u>download</u> the free Mazda Assist mobile app to your iPhone®\*.

\* iPhone is a registered trademark of Apple Computer, Inc.

PROLONG YOUR PEACE OF MIND



The Mazda Extended Confidence service plan helps keep your Mazda in peak driving condition after your New-Vehicle Limited Warranty expires.

### ©2013 MAZDA NORTH AMERICAN OPERATIONS. ALL RIGHTS RESERVED




Product Changes and Options Availability: Following publication of this website, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included here. Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options shown or described on this website are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

- \* Vehicle MSRP excludes \$795 destination charge (Alaska \$840), taxes, title and license fees. Actual dealer price may vary. See dealer for complete details.
- <sup>†</sup> 158 hp 6-speed Sport automatic transmission.
- <sup>‡</sup> EPA-estimated mileage. Actual results will vary.
- \*\* Always wear your seat belt and ensure that the passenger air bag deactivation light is illuminated when using a childor infant-restraint system. Please see your owner's manual for details.
- <sup>††</sup> Requires Convenience Package on MX-5 Sport with 5-speed manual transmission. Standard on MX-5 Sport with 6-speed Sport automatic transmission.
- # SiriusXM Satellite Radio-compatible audio system requires additional dealer-installed hardware and subscription.
- \*\*\* Dynamic Stability Control (DSC) is an electronic system designed to help the driver maintain control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether DSC will be effective in preventing loss of control. Please see your owner's manual for further details.

### Overview

Standard Package Option Port Installed Option Accessory

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
MSRP starting at	\$28,665*	\$29,450*





# **MX-5 MIATA POWER RETRACTABLE HARDTOP AT A GLANCE**

**ENGINE TYPE** 167-hp†, MZR 2.0L DOHC 16-valve 4-cylinder engine with variable valve timing (VVT)



### **CONVERTIBLE OPTIONS**

Choice of soft top or Power Retractable Hard Top (PRHT)



### **EPA-ESTIMATED FUEL EFFICIENCY** 21/28 city/HWY - 6-speed MT‡ 21/28 city/HWY — 6-speed AT‡



### **SAFETY FEATURES**

Standard advanced front air bags and side-impact air bags\*\*

# **Engine & Mechanical**

Standard Package Option Port Installed Option Accessory - Not Available 2014 MX-5 Miata Power Retractable Hardtop Club **Grand Touring** Engine Engine Type MZR 2.0L DOHC 16-valve 4-cylinder engine with VVT Horsepower - Manual transmission 167 hp @ 7000 rpm - Automatic transmission 158 hp @ 6700 rpm Torque 140 lb-ft @ 5000 rpm Redline - Manual transmission 7200 rpm - Automatic transmission 6700 rpm Displacement (cc) 1999 87.5 x 83.1 Bore x stroke (mm) 10.8:1 Compression ratio Electronically controlled multiport fuel injection with tuned air intake Fuel system Recommended fuel Premium unleaded Chain-driven dual overhead cams, 4 valves per cylinder with variable intake valve timing (VVT) Valvetrain Ignition system Direct coil-on-plug electronic ignition with platinum-tipped spark plugs Engine block Aluminum alloy Cylinder head Aluminum alloy Crankshaft Forged steel Forged steel Connecting rods Tier2 - BIN5 / ULEV2-B Emission control type (Fed/Cal) **EPA-Estimated Fuel Economy** Manual transmission (city/hwy)† 21/28 21/28 Automatic transmission (city/hwy)† Drivetrain Rear-wheel drive (RWD) Туре Manual transmission 6-speed close-ratio with short-throw shifter Automatic transmission 6-speed Sport with Adaptive Shift Logic and steering-wheel-mounted paddle shifters Differential Available torque-sensing limited-slip (manual transmission only)

# **Engine & Mechanical**

Standard Package Option Port Installed Option Accessory Not Available

Bell Pation (1)	2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring			
set         3.82         3.54           bed         2.26         2.06           bed         1.64         1.40           beth         1.00         0.71           beth         1.00         0.71           beth         0.79         0.58           betweene         3.60         3.17           bright         3.60         3.17           bright         4.10         4.10           Chassis         4.40         4.10           Chassis         4.40         4.10           Chassis         4.40         4.10           Baske         4.40         4.10           Baske         4.40         4.40           Baske         4.40         <	Drivetrain					
incl         2.26         2.06           incl         1.64         1.40           ide         1.16         1.00           ide         1.00         0.71           ide         0.79         0.58           idense         3.60         3.17           idense         4.00         4.0           idense         4.00         4.0           idense         6         4.0         4.0           idense         4.0         4.0         4.0           idense         6         4.0         4.0         4.0           idense         4.0	Gear Ratios (:1)	6MT	6AT			
body         1.64         1.40           tith         1.18         1.00           5th         1.00         0.71           5th         0.79         0.58           4eenee         3.80         3.17           1-inal Drive         3.80         3.17           Chassis         Backbone frame construction with front and rear suspension subframes all rakes         1.10-inch solid disc with aluminum brake calipers           Chassis         4-wheet  -4-channel with Electronic Brake-frow-Distribution (EBD) and Brake Assist 18-early pinch         1.0-inch solid disc with aluminum brake calipers           ABS         4-wheet  4-channel with Electronic Brake-frow-Distribution (EBD) and Brake Assist 18-early pinch         1.0-inch solid disc with aluminum brake calipers           ABS         4-wheet  4-channel with Electronic Brake-frow-Distribution (EBD) and Brake Assist 18-early pinch         1.0-inch solid disc with aluminum brake calipers           Overal statering ratio         1.5-1         1.0-inch solid disc with aluminum brake calipers           Overal statering ratio         1.5-2         1.0-inch solid disc with aluminum brake calipers           Overal statering ratio         1.5-2         1.0-inch solid disc with aluminum brake calipers           Overal statering ratio         1.5-2         3.0-1         3.0-1           Steering wheet turns, bock-to-lock         2.5-2 <td>1st</td> <td>3.82</td> <td>3.54</td>	1st	3.82	3.54			
### 1.00 ##	2nd	2.26	2.06			
### 1.00	3rd	1.64	1.40			
1	4th	1.18	1.00			
Reverse         3.60         3.17           Plant Drive         4.10         4.10           Chassis           Backbone frame construction with ront and rear suspension subframes           Pront         Backbone frame construction with ront and rear suspension subframes           Brakes         4-wheel disc           Rear         11.0-inch solid disc with all-wiminum brake calipers           ABS         4-wheel, 4-channel with Electronic Brake-frow Distribution (EBD) and Brake Assist Steering (HPAS)           Ower assist         4-wheel nd-channel with Electronic Distribution (EBD) and Brake Assist Steering (HPAS)           Overall steering ratio         15.0-1           Steering wheel turns, lock-to-lock         2.7           Unring circle diameter, curb-to-curb (ft)         30.8           Usual steering ratio         4-wheel Independent           Steering wheel turns, lock-to-lock         2.7           Unring circle diameter, curb-to-curb (ft)         30.8           Usual steering ratio         4-wheel Independent           Front         Double wishbone with forged alluminum control same           Plant         5-to-th strut tower brace         Rear           Front strut tower brace         Gas-filed, double acting; available Bilstein®           Nicel size (m)         3.7 x \ 7.	5th	1.00	0.71			
Final Drive         4.10         4.10           Chassis           Backbone frame construction with rand rear suspension subframes and subframe and subframe and subframes and subframe and su	6th	0.79	0.58			
Chassis         Backbone frame construction with front and rear suspension subframes           Priorit         4-wheel disc           Front         11.4-inch vented disc           Bace         11.9-inch soll disc with aluminum brake calipers           ABS         4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist           Steering type         Rack-and-pinion           Overall steering ratio         15.0:1           Steering wheel turns, lock-to-lock         2.7           Turning circle diameter, curb-to-curb (tt)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Steal         Multi-link with tublar control arms and aluminum knuckle           Stabilizer bar (rear)         Multi-link with tublar control arms and aluminum knuckle           Stabilizer bar (rear)         Solid           Stabilizer bar (rear)         Gas-filled, double acting; available Bilstein®           Stock absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (in)         2.7           Turbus veight (bis)         2.70           Manual transmission         2.50           Weight distribution (front/rear)         5.1/49	Reverse	3.60	3.17			
Chassis         Backbone frame construction with front and rear suspension subframes           Brakes         4-wheel disc           Front         11.4-inch vented disc           File         11.0-inch solid disc with aluminum brake calipers           ABS         4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type           Overall steering page         Rack-and-pinion           Externing type         Rack-and-pinion           Externing type         15.0:1           Steering wheal turns, lock-to-lock         2.7           Externing circle diameter, curb-to-curb (ft)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Rear         Multi-link with tubular control arms and aluminum knuckle           Stabilizer bar (ront)         4-wheel independent           Stabilizer bar (rear)         Available sport-tuned coil springs           Standard         Shock absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (n)         7 x 7.0           Free size         P205/45R17 high performance summer tires           Weight distribution (front/rear)         2593           Automatic transmission         2593           Weight distribution (fron	Final Drive	4.10	4.10			
Brankes         4-wheel disc           Front         11.4-inch vented disc           Front         11.0-inch solid disc with aluminum bake calipers           ABS         4-wheel, 4-channel with Electroic Brakeforce Distribution (EBD) and Brake Assist Steering (HPAS)           Steering type         Rack-and-pinlon           Over a ssist         Hydraulic Power Assist Steering (HPAS)           Overall steering ratio         15.0:1           Steering wheel turns, lock-to-lock         2.7           furning cricle diameter, curb-to-curb (ff)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Stabilizer bar (front)         Hollow           Stabilizer bar (rear)         Available sport-tuned coil springs           Stabilizer bar (rear)         Available sport-tuned coil springs           Stonds absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (in)         17 x 7.0           Tire size         P205/45R17 high performance summer tires           Weights & Capacities         Automatic transmission           Automatic transmission         2593           Automatic transmission         51/48	Chassis					
Front 11.4-inch vented disc  Rear 11.0-inch solid disc with aluminum brake calipers  ABS 4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type  ABS ABS ABS ABSISTANCE	Chassis	Backbone frame construction with fro	ont and rear suspension subframes			
Rear         11.0-inch solid disc with aluminum brake calipers           ABS         4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type           Power assist         Rack-and-pinion           Overall steering ratio         15.01           Steering wheel turns, lock-to-lock         2.7           Turning circle diameter, curb-to-curb (ft)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Rear         Multi-link with tubular control arms and aluminum knuckle           Stabilizer bar (front)         Solid           Springs         Available sport-tuned coil springs           Front strut tower brace         Standard           Stock absorbers         Gas-filled, double acting; available Bilstein®           Wheel stee (in)         17 x 7.0           Ure size         P205/45R17 high performance summer tires           Weights & Capacities         Script steel (block)           Water and properties of the control	Brakes	4-wheel	disc			
ABS         4-wheel, 4-channel with Electronic Brakeforce Distribution (EBD) and Brake Assist Steering type           Power assist         Rack-and-pinion           Overal steering ratio         15.0:1           Steering wheel turns, lock-to-lock         2.7           Furning oricle diameter, curb-to-curb (ft)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Flear         Multi-link with tubular control arms and aluminum knuckle           Stabilizer bar (front)         Stabilizer bar (rear)         Stalid           Springs         Available sport-tuned coil springs           Front strut tower brace         Gas-filled, double acting; available Bilstein®           Wheel size (in)         P205/45R17 high performance summer tree           Weel size (in)         P205/45R17 high performance summer tree           Weights & Capacities         P205/45R17 high performance summer tree           Winducturensmission         2593           Automatic transmission         2619           Weight distribution (front/rear)         51/49	- Front	11.4-inch ve	nted disc			
Steering type         Rack-and-pinion           Power assist         Hydraulic Power Assist Steering (HPAS)           Description         15.0:1           Steering wheel turns, lock-to-lock         2.7           Furning circle diameter, curb-to-curb (ft)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Rear         Multi-link with tubular control arms and aluminum knuckle           Stabilizer bar (front)         Hollow           Stabilizer bar (rear)         Solid           Springs         Available sport-tuned coil springs           Front strut tower brace         Standard           Shock absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (in)         17 x 7.0           Tree size         P205/45R17 high performance summer tires           Weights & Capacities           Jurb weight (lbs)           Manual transmission         2593           Automatic transmission         2619           Weight distribution (front/rear)         51/49	- Rear	11.0-inch solid disc with a	luminum brake calipers			
Power assist         Hydraulic Power Assist Steering (HPAS)           Overall steering ratio         15.0:1           Steering wheel turns, lock-to-lock         2.7           furning circle diameter, curb-to-curb (ft)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Fear         Multi-link with tubular control arms and aluminum knuckle           Stabilizer bar (rear)         Solid           Stabilizer bar (rear)         Available sport-tuned coil springs           Front strut ower brace         Standard           Shock absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (in)         17 x 7.0           Tire size         P205/45R17 high performance summer tires           Weight & Capacities           Curb weight (lbs)         2593           Automatic transmission         2619           Weight distribution (front/rear)         51/49	- ABS	4-wheel, 4-channel with Electronic Brakefo	orce Distribution (EBD) and Brake Assist			
Overall steering ratio         15.0:1           Steering wheel turns, lock-to-lock         2.7           Furning circle diameter, curb-to-curb (ft)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Rear         Multi-link with tubular control arms and aluminum knuckle           Stabilizer bar (front)         Flollow           Stabilizer bar (rear)         Solid           Springs         Available sport-tuned coil springs           Front strut tower brace         Standard           Shock absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (in)         17 x 7.0           Fire size         P205/45R17 high performance summer tires           Weights & Capacities           Curb weight (lbs)         2593           Automatic transmission         2619           Weight distribution (front/rear)         51/49	Steering type	Rack-and	-pinion			
Stering wheel turns, lock-to-lock         2.7           furning circle diameter, curb-to-curb (ft)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Rear         Multi-link with tubular control arms and aluminum knuckle           Stabilizer bar (front)         Hollow           Stabilizer bar (rear)         Solid           Springs         Available sport-tuned coil springs           Front strut tower brace         Standard           Shock absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (in)         17 x 7.0           Tire size         P205/45R17 high performance summer tires           Weights & Capacities         2593           Automatic transmission         2619           Weight distribution (front/rear)         51/49	Power assist	Hydraulic Power Assi	Hydraulic Power Assist Steering (HPAS)			
Funding circle diameter, curb-to-curb (ft)         30.8           Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Rear         Multi-link with tubular control arms and aluminum knuckle           Stabilizer bar (front)         Hollow           Stabilizer bar (rear)         Solid           Springs         Available sport-tuned coil springs           Front strut tower brace         Standard           Shock absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (in)         17 x 7.0           Tire size         P205/45R17 high performance summer tires           Weights & Capacities         2593           Automatic transmission         2619           Weight distribution (front/rear)         51/49	Overall steering ratio	15.0	15.0:1			
Suspension         4-wheel independent           Front         Double wishbone with forged aluminum control arms           Flear         Multi-link with tubular control arms and aluminum knuckle           Stabilizer bar (front)         Hollow           Stabilizer bar (rear)         Solid           Springs         Available sport-tuned coil springs           Front strut tower brace         Standard           Shock absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (in)         17 x 7.0           Vieights & Capacities         P205/45R17 high performance summer tires           Weight weight (lbs)         2593           Automatic transmission         2619           Weight distribution (front/rear)         51/49	Steering wheel turns, lock-to-lock	2.7	2.7			
Front Double wishbone with forged aluminum control arms Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Standard Stock absorbers Gas-filled, double acting; available Bilstein® Alva (fire size P205/45R17 high performance summer tires) Weight & Capacities Surb weight (lbs) Manual transmission 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	Turning circle diameter, curb-to-curb (ft)	30.8	3			
Rear Multi-link with tubular control arms and aluminum knuckle Stabilizer bar (front) Hollow Stabilizer bar (rear) Solid Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0  Fire size P205/45R17 high performance summer tires  Weights & Capacities Curb weight (lbs) Automatic transmission 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	Suspension	4-wheel inde	ependent			
Stabilizer bar (front)         Hollow           Stabilizer bar (rear)         Solid           Prings         Available sport-tuned coil springs           Front strut tower brace         Standard           Shock absorbers         Gas-filled, double acting; available Bilstein®           Wheel size (in)         17 x 7.0           Fire size         P205/45R17 high performance summer tires           Weights & Capacities         Curb weight (lbs)           Automatic transmission         2593           Automatic transmission         2619           Weight distribution (front/rear)         51/49	- Front	Double wishbone with forge	Double wishbone with forged aluminum control arms			
Stabilizer bar (rear) Springs Available sport-tuned coil springs Front strut tower brace Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) Tire size P205/45R17 high performance summer tires Weights & Capacities Curb weight (lbs) Manual transmission Automatic transmission Solid Solid Available sport-tuned coil springs Standard Standard Standard  P205/45R17 high performance summer tires	- Rear	Multi-link with tubular control a	arms and aluminum knuckle			
Springs Available sport-tuned coil springs Front strut tower brace Standard Shock absorbers Gas-filled, double acting; available Bilstein® Wheel size (in) 17 x 7.0 Fire size P205/45R17 high performance summer tires Weights & Capacities Curb weight (lbs) Manual transmission 2593 Automatic transmission 2619 Weight distribution (front/rear) 51/49	- Stabilizer bar (front)	Holla	w			
Front strut tower brace Shock absorbers Gas-filled, double acting; available Bilstein®  Meel size (in)  Tre size P205/45R17 high performance summer tires  Weights & Capacities  Curb weight (lbs)  Manual transmission Automatic transmission  Weight distribution (front/rear)  Standard  Gas-filled, double acting; available Bilstein®  17 x 7.0  P205/45R17 high performance summer tires  P205/45R17 high performance summer tires  2593  2619	- Stabilizer bar (rear)	Soli	d			
Shock absorbers  Wheel size (in)  Tr x 7.0  Fire size  P205/45R17 high performance summer tires  Weights & Capacities  Curb weight (lbs)  Manual transmission  Automatic transmission  Weight distribution (front/rear)  Gas-filled, double acting; available Bilstein®  17 x 7.0  P205/45R17 high performance summer tires  P205/45R17 high performance summer tires  2593  2619	- Springs	Available sport-tur	ned coil springs			
Wheel size (in)  Tire size  P205/45R17 high performance summer tires  Weights & Capacities  Curb weight (lbs)  Manual transmission  Automatic transmission  Veight distribution (front/rear)  17 x 7.0  P205/45R17 high performance summer tires	- Front strut tower brace	Stand	Standard			
Fire size P205/45R17 high performance summer tires  Weights & Capacities  Curb weight (lbs)  Manual transmission 2593  Automatic transmission 2619  Weight distribution (front/rear) 51/49	Shock absorbers	Gas-filled, double acting	Gas-filled, double acting; available Bilstein®			
Weights & Capacities  Curb weight (lbs)  Manual transmission  Automatic transmission  Selfs (front/rear)  Selfs (front/rear)  Selfs (front/rear)	Wheel size (in)	17 x 7	17 x 7.0			
Curb weight (lbs)  Manual transmission  Automatic transmission  Seight distribution (front/rear)  2593  2619  701  702  703  704  705  705  706  707  707  708  708  708  708  708	Tire size	P205/45R17 high perfor	P205/45R17 high performance summer tires			
Manual transmission 2593 - Automatic transmission 2619 Neight distribution (front/rear) 51/49	Weights & Capacities					
Automatic transmission 2619 Weight distribution (front/rear) 51/49	Curb weight (lbs)					
Weight distribution (front/rear) 51/49	- Manual transmission	259	3			
	- Automatic transmission	261:	2619			
Tuel capacity (gallons)	Weight distribution (front/rear)	51/4	51/49			
	Fuel capacity (gallons)	12.7	7			

# Exterior

■ Standard Package Option Port Installed Option Accessory Not Available

■ Package Option ■ Port Installed Option ■ Accessory ■ Not Available

■ Package Option ■ Port Installed Option ■ Accessory ■ Not Available

■ Package Option ■ Port Installed Option ■ Accessory ■ Not Available

■ Package Option ■ Port Installed Option ■ Accessory ■ Not Available

■ Package Option ■ Port Installed Option ■ Accessory ■ Not Available

■ Port Installed Option ■ Port Installed Option ■ Accessory ■ Not Available

■ Port Installed Option ■ Port Installed Option ■ Accessory ■ Not Available

■ Port Installed Option ■ Port Installed Option ■ Accessory ■ Not Available

■ Port Installed Option ■ Port Installed Option ■ Accessory ■ Not Available

■ Port Installed Option ■ Port Install

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Body		
Halogen headlights	5	<b>5</b>
Black headlight bezel	<u> </u>	
Chrome headlight bezel		s
Halogen fog lights	<u> </u>	<b>5</b>
Lightweight aluminum-alloy hood and trunklid	5	5
Black front air dam and rear diffuser	<b>□</b>	
Variable-intermittent windshield wipers	s	S
Body-colored Power Retractable Hard Top (PRHT)	-	<b>5</b>
Black Power Retractable Hard Top (PRHT)	S	
Dual body-colored power side mirrors	-	<b>5</b>



### 

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring	
Body			
Dual black power side mirrors	5		
Body-colored door handles	<u> </u>		
Body-colored door handles with chrome accents		s	
Exclusive Club badges and graphics		-	
Glass rear window with defogger	<u>s</u>	s	
Rear-fender-mounted antenna	<u> </u>		
Dual exhaust outlets with chrome tips	<u> </u>	s	
Wheels & Tires			
17-inch gunmetal aluminum-alloy wheels	<b>5</b>		
17-inch silver aluminum-alloy wheels (Split 5-spoke design)		<b>5</b>	
P205/45 R17 high-performance radial tires	<u>s</u>	s	
Exterior Dimensions			
Wheelbase (in)		91.7	
Track, front (in)		58.7	
Track, rear (in)		58.9	
Length (in)		157.3	
Width (in)		67.7	
Height (in)		49.0	
Minimum ground clearance, laden (in)		4.6	

# Interior Standard Package Option Port Installed Option Accessory Not Available

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Comfort & Convenience		
Air conditioning	<b>5</b>	
Automatic climate control	-	<u> </u>
Power windows with driver one-touch-down feature	5	S
Power door locks with 2-stage unlocking	<u>5</u>	<u>5</u>
Cruise control with steering-wheel-mounted controls	s	s
Bluetooth® hands-free phone capability	-	P
Remote keyless entry with retractable key		s
Mazda Advanced Keyless Entry & Start System		P
Auto-dimming rearview mirror with HomeLink®		s
Interior illumination - dome light, ignition switch and trunk		5
Driver and passenger visor vanity mirrors	s	s
Retractable mesh wind blocker		
12-volt power outlet	s	s
Rear window defogger with timer		
Storage		
Lockable glove compartment	<b>6</b>	<b>=</b>
Center console storage with cup holder	s	S
Door net pockets with bottle holders		5
Lockable rear storage	s	5
Driver's seatback storage pocket	5	5



# Interior Standard Package Option Port Installed Option Accessory Not Available

	Outlidate Trackage Option Trackage	
2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Seating & Trim		
2-passenger seating	B	S
6-way adjustable driver's seat	■	<b>=</b>
4-way adjustable passenger seat	<b>B</b>	<b>=</b>
Heated seats		<b>=</b>
Black cloth-trimmed seats with red stitching	S	
Leather-trimmed seats		<u> </u>
Leather-wrapped steering wheel	5	S
Leather-wrapped shift knob	<u> </u>	5
Leather-wrapped parking brake handle		S
Dark gray decoration panel		
Body-colored decoration panel with Club graphics	s	
Silver seatback bar accents		5
Dark Gray seatback bar accents	s	
Padded center console and door armrests	5	<u> </u>
Carpet floor mats	s	5
Audio		
AM/FM/CD/MP3 with 6 speakers	S	
Bose® audio system, AudioPilot®, AM/FM/in-dash 6-disc CD/MP3-compatible changer and 7 speakers		5
SiriusXM Satellite Radio-compatible audio system	s tt	<b>5</b> 11
SiriusXM Satellite Radio with 4-month trial subscription to Sirius Select	O/A	O/A/P
Auxiliary-audio input jack	5	s
Steering-wheel-mounted audio controls	<u> </u>	
Instrumentation		
Speedometer, tachometer, oil pressure, coolant temperature and fuel gauge	<b>=</b>	<b>5</b>
Dual trip odometers	S	5
Trip computer	<u> </u>	5
Interior Dimensions & Capacities		
Headroom (in)	37.	0
Shoulder room (in)	53.:	
Hip room (in)	50.	
Legroom (in)  Cargo volume (cu ft)	43.	
Cargo volume (cu ii)	- 5.3	

# Safety & Security

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Safety		
Advanced front air bags** with seat belt-use, passenger-weight and driver's seat-position sensors	S	S
Side-impact air bags <sup>⋆⋆</sup>	5	<u>5</u>
3-point seat belts with pretensioners and force limiters	5	S
Anti-lock Brake System (ABS) with Electronic Brakeforce Distribution (EBD)	5	5
Dynamic Stability Control (DSC)*** and Traction Control System (TCS)	s	5
Side-impact door beams		5

Standard Package Option Port Installed Option Accessory Not Available



# Safety & Security

Standard Package Option Port Installed Option Accessory Not Available

2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Security		
Engine-immobilizer antitheft system	S	5
Anti-theft alarm system	-	P
Keyless remote panic button (on key fob)	5	5
Tire-Pressure Monitoring System (TPMS)	<b>=</b>	<b>=</b>
Tire puncture repair kit (includes compressor tire sealant, injection hose, spare valve core, valve core tool)	5	5

## Packages & Options

Packages & Options	Standard Package Option Port Installed	Option Accessory - Not Available
2014 MX-5 Miata Power Retractable Hardtop	Club	Grand Touring
Packages & Options		
Premium Package  - Xenon High-Intensity-Discharge (HID) low-beam headlights  - Mazda Advanced Keyless Entry & Start System  - Bluetooth® hands-free phone capability  - SiriusXM Satellite Radio with 4-month trial subscription  - Anti-theft alarm		(w/MT requires Suspension Package)
Appearance Package (not available with splash guards) - Front air dam - Rear underskirt	<b>5</b>	
Suspension Package - Sport-tuned suspension - Bilstein® shock absorbers - Limited-slip differential	5	(Requires Premium Package)
(Available on manual transmissions only)		
Exterior		
Paint protection film	н	A
Chrome fuel-filler door	<b>₽</b>	<b>□</b>
Splash guards front and rear (not available with Appearance Package)	F	A
Rear spoiler	H	<u> </u>
Interior		
All-weather floor mats	O/A	□/A
Cargo net (not available with Premium Package)	O/A	□/A
Alarm system with shock sensor (not available with Premium Package)	· □/H/P	
Audio		
In-dash 6-disc CD/MP3-compatible changer	<b>□</b>	5
SiriusXM Satellite Radio with 4-month trial subscription (not available with Premium Package)	Ħ	A



### Warranty

Every new Mazda comes with a comprehensive limited warranty that provides coverage in the unlikely event a repair is needed in the first years after your vehicle's purchase. We'll be right there with you all the time, wherever you go by providing warranty coverage and roadside assistance so that the total enjoyment of driving a Mazda never stops.

2014 Mazda Vehicles:

Mazda Limited Warranty Coverage:

3-year/36,000-mile*	"Bumper-to-Bumper" Limited Warranty
5-year/60,000-mile*	Limited Powertrain Warranty
3-year/36,000-mile*	24/7 Roadside Assistance Program

<sup>\*</sup>Whichever comes first.

### **BUMPER-TO-BUMPER LIMITED WARRANTY**

Mazda warrants that new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 36 months or 36,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This transferable "limited warranty" is included on all new Mazda vehicles sold and serviced in the United States.

## POWERTRAIN LIMITED WARRANTY

Mazda warrants that the Powertrain Components of new Mazda cars and trucks will be free of defects with normal use and prescribed maintenance for 60 months or 60,000 miles, whichever comes first. Ordinary maintenance items or adjustments, parts subject to normal wear and replacement and certain other items are excluded. This "limited warranty" is transferable during the warranty period on all new Mazda vehicles sold and serviced in the United States.

### 24/7 ROADSIDE ASSISTANCE

If Mazda vehicle is not driveable due to a warranted part failure during the coverage period of the New Vehicle Limited Warranty (36 months/36,000 miles), towing service will be covered to the nearest Mazda Dealer. In addition, if a Mazda vehicle is not driveable due to the failure of a warranted powertrain component, then towing service will be covered during the coverage period of the Powertrain Limited Warranty (60 months/60,000 miles).

Call 1-800-866-1998



Or <u>download</u> the free Mazda Assist mobile app to your iPhone®\*.

\* iPhone is a registered trademark of Apple Computer, Inc.

PROLONG YOUR PEACE OF MIND



The Mazda Extended Confidence service plan helps keep your Mazda in peak driving condition after your New-Vehicle Limited Warranty expires.

### ©2013 MAZDA NORTH AMERICAN OPERATIONS. ALL RIGHTS RESERVED



Product Changes and Options Availability: Following publication of this website, certain changes in standard equipment, options, prices and the like, or product delays may have occurred which would not be included here. Your Mazda Dealer is your best source for up-to-date information. Mazda reserves the right to change product specifications at any time without incurring obligations. Options shown or described on this website are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

- \* Vehicle MSRP excludes \$795 destination charge (Alaska \$840), taxes, title and license fees. Actual dealer price may vary. See dealer for complete details.
- <sup>†</sup>158 hp 6-speed Sport automatic transmission.
- <sup>‡</sup> EPA-estimated mileage. Actual results will vary.
- \*\* Always wear your seat belt and ensure that the passenger air bag deactivation light is illuminated when using a childor infant-restraint system. Please see your owner's manual for details.
- <sup>††</sup> SiriusXM Satellite Radio-compatible audio system requires additional dealer-installed hardware and subscription.
- \*\*\* Dynamic Stability Control (DSC) is an electronic system designed to help the driver maintain control under adverse conditions. It is not a substitute for safe driving practices. Factors including speed, road conditions and driver steering input can all affect whether DSC will be effective in preventing loss of control. Please see your owner's manual for further details.